

## Refine Search

### Search Results -

Terms	Documents
scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	3

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Tuesday, June 07, 2005   [Printable Copy](#)   [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L2</u> scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	3	<u>L2</u>
<u>L1</u> scan\$4 and (deflection adj coil) and (differentia adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	0	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L3 and (power adj consumption)	3

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Tuesday, June 07, 2005    [Printable Copy](#)    [Create Case](#)

Set  
Name   Query  
 side by  
 side

Hit  
Count   Set  
                  Name  
                  result  
                  set

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L4</u>	L3 and (power adj consumption)	3	<u>L4</u>
<u>L3</u>	scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and (positive adj voltage) and (negative adj voltage)	7	<u>L3</u>
<u>L2</u>	scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	3	<u>L2</u>
<u>L1</u>	scan\$4 and (deflection adj coil) and (differentia adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	0	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L5 and (low adj power)	3

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L7





### Search History

DATE: Tuesday, June 07, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L7</u>	L5 and (low adj power)	3	<u>L7</u>
<u>L6</u>	L5 and (power adj consumption)	5	<u>L6</u>
<u>L5</u>	scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and positive and voltage and negative	35	<u>L5</u>
<u>L4</u>	L3 and (power adj consumption)	3	<u>L4</u>
<u>L3</u>	scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and (positive adj voltage) and (negative adj voltage)	7	<u>L3</u>
<u>L2</u>	scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	3	<u>L2</u>
<u>L1</u>	scan\$4 and (deflection adj coil) and (differentia adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	0	<u>L1</u>

END OF SEARCH HISTORY